


Gigabit connectivity without opening your PC!



Now you can connect to 10/100 Ethernet and Gigabit networks without having to open your PC. The Gigabit USB Adapter from Linksys works with any USB 1.1 or 2.0 equipped desktop or notebook PC, running any version of Windows that supports USB. Its integrated USB cable connects directly to a USB port on your PC or hub. Then just connect a Category 5 Ethernet network cable to the Adapter's RJ-45 port, install the included device driver, and you're networked.

The Gigabit USB Adapter is bus-powered, drawing power from the host PC so it doesn't need an external power cord. The Adapter automatically negotiates for the network's best speed, 10, 100, or a screaming 1000 megabits per second. (Your actual throughput will depend on your PCs USB implementation, and other traffic on the USB bus.) The easy-to-read LEDs let you know the link status, your link speed, and network activity. The compact design is easy to pack, with its new pop-up Ethernet connector that folds flat when not in use, and integrated USB cable that winds up around the case for storage.

Let the Linksys Gigabit Notebook Adapter help you get your PC connected to Gigabit networks, without the trouble of opening up the case.

Gigabit connectivity
via USB 2.0

Automatically adjusts
to 10Mbps, 100Mbps
or Gigabit network
speeds

Easy to pack -- inte-
grated pop-up con-
nector folds flat, built-
in USB cable winds
up

Also compatible with
USB 1.1 desktop and
notebook computers

Gigabit USB Adapter



Product Data

Gigabit USB Adapter

Features

- One USB Type-A connector (with cable)
- One RJ-45 connector
- USB 1.0/1.1/2.0 compliant
- 10/100/1000Mbps data rates auto-negotiation
- Low power consumption, powered by USB port, no extra power supply needed.
- Suspend power saving mode supported

Specifications

Model	USB1000 - Gigabit USB Adapter
Standards	IEEE802.3, IEEE802.3u and IEEE 802.3ab
Ports	One RJ-45
Cabling Type	Cat5E Ethernet
LEDs	Power, Gigabit, 10/100

Environmental

Dimensions	75 mm x 25 mm x 75 mm (2.95" x 0.98" x 2.95")
Unit Weight	2.3 oz. (65 g)
Power	5 VDC, 500mA max (BUS powered)
Certifications	CE, FCC, ICES
Operating Temp.	32°F to 104°F (0°C to 40°C)
Storage Temp.	0°F to 158°F (0°C to 70°C)
Operating Humidity	10% to 85%, Non-Condensing
Storage Humidity	5% to 90%, Non-Condensing

Linksys
A Division of Cisco Systems, Inc.
18582 Teller Avenue
Irvine, CA 92612 USA

E-mail: sales@linksys.com
support@linksys.com

Web: <http://www.linksys.com>

Linksys products are available in more than 50 countries, supported by 12 Linksys Regional Offices throughout the world. For a complete list of local Linksys Sales and Technical Support contacts, visit our Worldwide Web Site at www.linksys.com.

Minimum Requirements

- Windows 98 Second Edition, ME, 2000, XP required
- PC equipped with one available USB 2.0 slot
- CD-ROM Drive

Package Contents

- One USB1000 - Gigabit USB Adapter
- One Setup Wizard CD-ROM with User Guide
- Quick Installation Guide
- Network Cable
- Registration Card

Specifications are subject to change without notice. Linksys is a registered trademark or trademark of Cisco Systems, Inc. and/or its affiliates in the U.S. and certain other countries. Copyright © 2005 Cisco Systems, Inc. All rights reserved. Other brands and product names are trademarks or registered trademarks of their respective holders.